TAX INVOICE

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O.
No. 503, 3rd Main,
50 Feet Road, Srinagar,
Bangalore - 560 050

Branch Office
O/o Asst. Executive Engineer, (Elecl)
C, O & M C7 Sub-Division, BESCOM
Yelhanka, Bangalore - 560 064.

Name AEE BBMP

Address W.No-11
V.R.Pura
Ganganna Circle, B.H

BILL No. **YNK** 67143

DATE : 16/12/15 TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

Sl. No.	Description	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
	Single Phase Static Energy Meter Type : E150, 5-30 Amps Sl. Nos.				
	3phase ZMI310.5-30θ C0185114	1	1650.00	1650.	00
	Name of Company BESCOM DVN. C.J W.O. No. A.9995 Date 15/12/15		VAT @ 14.5%	239.	25
			GRAND TOTAL	1889.	25

E.&O.E.

For **Landis+Gyr Limited.**

Vidyaranyapura Sub Division
BBMP, Bangalore - 97

SRI VINAYAKA BOREWELLS

Railway Gate, Ring Road, Bhadrappa Layout, Nagashettyhalli,
Bangalore - 560 094. Cell : 9342202932, 9980002932

No.

BOREWELL COMPLETION REPORT

Date : 06/03/15

1. Customer's Name and Address with Telephone No. : H. Gangadhar Kalathur C/o ward no: 11
2. Well Location : Gangamma Circle
3. Total Well Depth/Drilled in Ft. : 1080 ft
4. Casing Erected Ft. : 110 ft
5. Water Struck at the Depth of : 680 ft
6. Total Yield (Measuring method "V" Notch : 1080 ft Inches on "V" Noth
7. Formation of Soil / Well Water Condition : Boulders /Silt / Loose Soil / Clear. Rock stone
8. At the Depth of : .....
9. Recommended to use Jet Pump / Air Compressor / Submersible / Hand Pump

The Borewell was drilled accordance with the company terms and condition and handed over to customer in good / satisfied / party agreed condition

Once the well handed over to party, company is no way responsible for further developments if any in the well whatsoever.

Party's Signature

I, owner of the Well / Authorised signatory fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend on nature / formation of ground water and the drilling agency no way responsible for further occurrence / changes in the bore with full satisfaction. I hereby endorse my signature.

JE (11)
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

Party's Signature

For SRI VINAYAKA BOREWELLS

Dinesh

Authorised Signatory

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Vidyaranyapura Sub Division
BBMP, Bangalore - 97

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom
Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Ward no: 11
Kalathur Layout near Gangamma Circle Date : 03/03/15

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ...BANGALORE... city/village .....Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..... marked by Sandy crays Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ...Granite... rock.

SOURCES EXTRACTED :

(I) Betwen ...180 - 200... ft/~~mtrs~~. (II) ...220-290... ft/~~mtrs~~.

(III) 550-570 640-670 ft/~~mtrs~~.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ...700 - 800 ft/~~mtrs~~. Below the ground level, casing pipe required be to app depth of ..100 - 120 ft/mtrs.
Approx, yield expected may be around ...425-675...GPH.

Suggested to drill 4 1/2" / 6 1/2" dia Borewell. 6 1/2 "Ø

****

JE-II
Assistant Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

****

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

****

Vidyaranyapura Sub Division
BBMP, Bangalore - 97

TAX INVOICE

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O.
No. 503, 3rd Main,
50 Feet Road, Srinagar,
Bangalore - 560 050

Branch Office
O/o Asst. Executive Engineer, (Elecl)
C, O & M C7 Sub-Division, BESCOM
Yelhanka, Bangalore - 560 064.

Name AEE BDMP

Address W. No - 11
V. R. Pura.
KVP Nagar. B.L

BILL No. **YNK** 67142

DATE : 16/12/15 TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

Sl. No.	Description	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
	Single Phase Static Energy Meter Type : E150, 5-30 Amps Sl. Nos.				
	~~3phase~~ ZMI310.5-30A C0185113	1	1650.00	1650.	00
			VAT @ 14.5 %	238.939.	25
			GRAND TOTAL	1889.	25

Name of Company BESCOM DVN. C-3

W.O. No. A. 9994 Date 15/12/15

E.&O.E.

For **Landis+Gyr Limited.**

SRI VINAYAKA BOREWELLS

Railway Gate, Ring Road, Bhadrappa Layout, Nagashettyhalli,
Bangalore - 560 094. Cell : 9342202932, 9980002932

No.

BOREWELL COMPLETION REPORT

Date : 04/03/15

1. Customer's Name and Address with Telephone No. : H. Gangadhar, Mariyamma Temple, Ward no: 11
2. Well Location : Kuvempunagara
3. Total Well Depth/Drilled in Ft. : 1100 ft
4. Casing Erected Ft. : 35 mts
5. Water Struck at the Depth of : 770 ft
6. Total Yield (Measuring method "V" Notch : 1100 ft /Inches on "V" Noth
7. Formation of Soil / Well Water Condition : Boulders /Silt / Loose Soil / Clear clear water
8. At the Depth of : .....
9. Recommended to use Jet Pump / Air Compressor / Submersible / Hand Pump

The Borewell was drilled accordance with the company terms and condition and handed over to customer in good / satisfied / party agreed condition

Once the well handed over to party, company is no way responsible for further developments if any in the well whatsoever.

Party's Signature

I, owner of the Well / Authorised signatory fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend on nature / formation of ground water and the drilling agency no way responsible for further occurrence / changes in the bore with full satisfaction. I hereby endorse my signature.

JE 7/

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

For SRI VINAYAKA BOREWELLS

Party's Signature

Authorised Signatory

SAVE ENVIRONMENT ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Wardno:11
Mariyamma Temple. Kuvampuragara

Date : 03/03/15

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ...BANGALORE... city/village .....Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..... marked by Sandyey Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ...Granite rock.

SOURCES EXTRACTED :

(I) Betwen ...210-230... ft/~~mtrs~~. (II) ...370-390... ft/~~mtrs~~.

(III) ...460-470 610-640... ft/~~mtrs~~.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ...800-900... ft/mtrs. Below the ground level, casing pipe required be to app depth of ...80-100...ft/mtrs.

Approx, yield expected may be around ...625-725...GPH.

Suggested to drill 4 1/2" / 6 1/2" dia Borewell. 6½ 40

****

JE-4

Assistant Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

****

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

****